

HIMIT 74	HIMIT 72	
UNIT 71	UNIT 72	

1	Date			Time:	
Names:					_
	******	*******	******	*******	*****
	SAFET	Y CHECKLIST Needs		Expiratio	on Date
	nergency ashers	<u>OK</u> <u>Attention</u>	NARCAN _		
Не	eadlights		_		
	ene Lights		Glucose		
	ick Up				
	ırn Signals				
	rens		Glucagon		
Fu					
Ga	iuges	Forms:			-
НІ	PPA	#	Albuterol		_
		#	-		_
ке	efusal		Duo Nebs _		
	<u>D</u>	RUG BOX	Saline Water _		
		Expiration Date		0xygen	
EP	PI Jr (2)		M · m · l		
			Main Tank (Min. 500 psi)		_ psi
Ad	dult EPI (2)		Cot (1)		_ psi
Δς			Airway Bag Extra Tank		
113	.k —				

Revised February/2017

(1 Orange Case) **AIRWAY ADJUNCTS** Nasal Cannuals Nasal Airways (6 or more size 12-34) Non- Rebreathers #_____ Water Soluble Lubricant (1) # _____ Nebulizers # _____ **Oral** (1 set 0-6) #_____ **DRESSINGS/BANDAGES** Combitubes (2) #_____ 2x2Nonrebreather 02 Masks 4x4 (50) **Adult (2)** OK_____ 4X5 **Child (2)** OK_____ 12x30 (6) **Infant 92)** (2) _____ 60x96 Burn #_____ Laryngoscope Sheets (2) **Test Batteries** Bandages One set of blades Adult & peds sizes _____ Triangular (8) **Bandages** Magill Forceps Adult Cold Pacs Pediatric Hot Pacs Infant BVMs (1) #_____ OB Kit Pediatric BVMs (1) #_____ Kerlix 4x75 # _____ Adult BVMs (1) #_____ Kerlix 6 ply #_____ Defibrillator 7.5X8 Pads (Abdominal) #_____ Defib (BATTERY) OK____ Occlusive (4) #_____ (Pads) Expiration Date _____ Dressing **Portable Suction** Medical Tape # _____ **Test (1)** OK____ 2" or larger (2 rolls) Fixed Suction (1) OK_____ Trauma Shears (1) #_____ Yankauer Suction Tube 0K_____ OB Kit

Extra Yankauer Tubes #_____

Pediatric Bag	A 316 II
Adult Trauma Bag	Adult #
Airway Bag O ₂ PSI	Child # Infant
Nasal Cannulas 6 #	KED Adult
Non-Rebreather 6 #	Child
Flashlights #	CPR Board OK
Extra Safety Vests #	Pro Splits OK
BLOOD PRESSURE CUFFS	Long Boards OK
(1 each) Large Adult OK	Lifting OK Blankets
Reg. Adult OK	Vacuum Splits OK
Child Size OK	Pump for VS OK
Thermometer OK	•
Probe Covers #	Scoop Stretcher OK
Pulse Ox OK	Stair Chair OK
Glucometer OK	STANDARD MANDATORY MISC.
	EQUIPMENT
Test Strips #	Tool Box containing:
Landota #	1 – 12" adjustable wrench
Lanclets #	One screwdriver ¼ inch blade
Stethoscope (1) #	1 #2 Phillips Screwdriver One hacksaw / 12' blades
	1 10" locking grip pliers
OUTSIDE COMPARTMENTS	1 16oz hammer
	1 24" wrecking bar
Back Boards (2) #	Impact resistant eye protection
C. "	1 pair of leather gloves
Straps # (3 for each board)	1 roll of 2" duct tape 1 spring loaded center punch
Head Blocks	1 5-pound minimum fire extinguisher
#	with a 10BC rating in a quick-release
Back Raft #	bracket, mounted in the cab section or an outside compartment and accessible from outside the ambulance.

Rigid Cervical Collars (2 each)

1 2-pound minimum fire extinguisher with a 10BC rating mounted in a bracket in the patient compartment.

1 5-pound minimum fire extinguisher with a 10BC rating mounted in a bracket in the patient compartment on all new ambulances put in service after April 1, 1999.

"No Smoking" signs placed conspicuously in the cab and patient compartment.

Two portable, battery operated lights. Three reflectors or 3 noncombustible red light sticks with a minimum of one-hour service duration.

Infection control personal protective equipment and materials, including all of the following:

Three or more eye protection units (full peripheral glasses or shield).

Three or more surgical masks.

Three or more pairs of nonsterile gloves.

3 or more jumpsuits or gowns that are disposable and impervious to body fluids.

3 or more disposable shoe covers.

Hand wash of a commercial antimicrobial type, such as a towelette, spray or liquid.

At least 1 commercial sharps container.

Bio-hazard bags of identifiable color or markings, or both.

All services shall have latex-free equipment and supplies as directed by a

protocol, approved by the services medical director for the treatment, care and used by latex-sensitive patients and attendants.

Medications and drugs specified in the standard operating procedures approved by the medical director of the service.

This shall include oral glucose in single patient use containers, and epinephrine as specified in the standard operating procedures approved by the medical director of the service, and included in the plan approved by the department of health services.

2 cervical-head immobilizer devices capable of being attached to spine boards.

The following are one patient-use items and shall remain sealed until the time of use. Unsealed containers of the following may not be kept:

Sterile saline solution.

Liquid oral glucose.

Epinephrine.

NOTES:

Safety Glasses

Gowns

Nebulizers

Saline Water

Laryngoscope